



WILDING WALLBEDS INSTALLATION INSTRUCTION

UNDER CABINET ORGANIZER



Tools Needed




Tape measure

Phillips screwdriver

Cordless screw driver with Phillips bit

Hardware




Cam Fitting


Connecting Bolts

1 1/4" Wood Screw

Hardware needed for the next two step




Connecting Bolt




White Cam Fitting

Step: 1 Locate the two center partitions. In the partition with the finished edge insert two connecting bolts as illustrated.

Helpful hint: Screw the connecting bolt in until the collar of the connecting bolt is seated snugly against the surface of the part.




Step: 2 In the second partition, insert two white cam fittings into the sockets as illustrated. Verify the cam fittings are seated down firmly into the partition.



Working with Cam Fittings


In the next steps you will work with Cam Fittings and Connecting Bolts in attaching cabinet parts together. Take a minute and review this information for ease of assembly.

- Slide the Cam over Connecting bolt.
- Hold parts snug together.
- Turn Cam Fitting 1/2 turn clockwise with a manual screw driver. **DO NOT USE POWER SCREW DRIVER.**




Step: 3 Using the cam fittings, connect the two partitions together as illustrated.

Helpful hint: the cam fittings only need to turn one half turn to the right to snugly pull parts together. Use a hand screwdriver while working with cam fittings.




Step: 4 Locate the two end partitions and insert connecting bolts in the top two holes as illustrated.


Important note: Verify that the partitions are oriented correctly and the holes receiving the connecting bolts are nearer the end of the partition.




Step: 5 Locate the four shelves and insert white cam fittings in each of the sockets provided.



Step: 6 Insert connecting bolts into the top four holes on the inside partitions as shown.




Step: 7 Insert connecting bolts as desired for shelf height on the left and right sides. The connecting bolts placement must match so shelves will be level.




IMPORTANT NOTE: There will be two pairs of shelves and each pair MAY vary in length. Each Under Desk Organizer is custom designed for the desk unit. Verify at this point which side will receive the longer shelves.*

Step: 8 Once you have identified (based on desk configuration)* which shelves will be on the left and which will be on the right, attach the shelves to the connecting bolts using the cam fittings. As illustrated below.



*For additional information on layout, see the last page of this booklet.

INFORMATIONAL ILLUSTRATION ONLY (YOUR LAYOUT MAY VARY).



The Under Cabinet Organizer is designed to fit 3/4" from the back wall(s) to allow for base molding in the room. It has been designed (once positioned 3/4" from the walls) to fit with one outside partition against either a desk component or the wallbed and the other outside partition to fit against the opposite desk component or wallbed on an adjacent wall. Notice in this illustration the right side of the Under Desk Organizer is longer and fits up against the desk component to the right while the left side fits up against the wallbed. It may be necessary to look at the drawings for your individual room to identify right and left.

We recommend, for ease of installation, that you first position and attach the wallbed followed by moving the Under Desk Organizer into position with its outside partition fit tight against the wallbed (remember to position the Under Desk Organizer 3/4" from the wall). Then place the desk component against the opposite outside partition. You may want to anchor the Under Cabinet Organizer to the wallbed and desk component using 1 1/4" screws to secure the entire unit. Finally place the desk top in position and anchor it to the desk component and Under Cabinet Organizer.